## SUPREP COLONOSCOPY PREP INSTRUCTIONS revised 12/1/20

#### DR. SINDHU A. ABRAHAM

(972) 867-0019

To insure a proper and complete examination, it is necessary for you to have an empty and properly cleansed colon. This is accomplished by strictly following these instructions.

The exam may be cancelled if these instructions are not followed. IF YOU HAVE

PROBLEMS WITH YOUR PREP, PLEASE CALL OUR OFFICE AT (972) 867-0019

**PURCHASE AT THE PHARMACY:** 

(1) Container of SUPREP (prescription attached or sent electronically to your pharmacy) <u>YOU MAY ALSO RECEIVE A</u>

PRESCRIPTION FOR OVER THE COUNTER MAGNESIUM CITRATE (10 OZ) TO BE TAKEN AT 3 PM ON DAY OF PREP

#### TWO WEEKS PRIOR TO YOUR PROCEDURE:

Stop taking St. John's Wort (a herbal supplement)

FIVE DAYS PRIOR TO YOUR PROCEDURE: STOP VITAMIN E AND OMEGA 3 FISH OIL. STOP FOOD CONTAINING OLESTRA e.g. Wow! chips.

Stop taking ASPIRIN or ASPIRIN-CONTAINING PRODUCTS, non-steroidal anti-inflammatories, and blood thinners. Examples include, but are not limited to: COUMADIN, PRADAXA, ELIQUIS, XARELTO, ALEVE, NUPRIN, MOTRIN, ADVIL, IBUPROFEN, EXCEDRIN, RELAFEN, ANAPROX, LODINE, FELDENE, ECOTRIN, NAPROSYN, TOLECTIN, VOLTAREN, DOLOBID, MOBIC, CELEBREX, ALKA-SELTZER or PLAVIX. If you have any questions about your medications, please call our office or your pharmacy. You may take Tylenol or Acetaminophen as needed.

#### **ONE DAY BEFORE YOUR PROCEDURE:**

- 1. Remain on a clear liquid diet the entire day. You may have clear broth, Jell-O with no fruit, lemonade without pulp, Popsicles with no fruit, coffee with no cream, tea, apple juice, Gatorade, 7-UP, Sprite, Coke, Dr. Pepper, Root Beer Etc. There are no color restrictions—you may drink red or purple liquids—but keep in mind, they will come out of your rectum red or purple!
  - ❖ NO MILK PRODUCTS OR ORANGE JUICE. DRINK AT LEAST 64 OUNCES OF FLUID (not just water) DURING THE DAY. ALCOHOL IS NOT CONSIDERED A CLEAR LIQUID!!!!

**IF YOU ARE DIABETIC & ARE ON INSULIN** – take ½ your usual dose of insulin. If you take oral medicines for diabetes, **DO take** those as usual. **DO NOT** consume just sugar-free liquids.

- 2. AT 3 PM, IF YOU RECEIVED PRESCRIPTION FOR MAGNESIUM CITRATE, MIX WITH GINGER ALE AND DRINK.
  - 2. At 7:00 pm, Complete Steps 1 through 4 using one bottle in your Suprep kit. Pour ONE 6 ounce bottle of Suprep liquid into the cup provided in the Suprep box. Add cool drinking water to the 16-ounce line on the cup and mix. Drink ALL the liquid in the cup. You MUST drink two (2) more 16 ounce cups of water over the next hour. You may want to suck on hard candy, such as Jolly Ranchers, to help with the taste of the Suprep.
    - ❖ While you are having bowel movements, you may want to use alcohol free baby wipes or Tucks medicated pads to wipe instead of toilet tissue. To protect the skin outside the rectum, you may use Anusol, Desitin (zinc oxide), Boudreaux's Butt Paste or Vitamin A & D ointment.
  - 3. At 7 HOURS PRIOR TO CHECK IN TIME, *Repeat* the steps in number 2 described above using the plastic cup provided. YOU MAY HAVE CLEAR LIQUIDS UNTIL 4 HOURS PRIOR TO YOUR CHECK-IN TIME.
  - 4. DO NOT CHEW GUM OR SUCK ON CANDY WHILE YOU ARE WAITING FOR YOUR PROCEDURE.

IF YOU HAVE ANY QUESTIONS ABOUT YOUR MEDICINES OR PREP, PLEASE CALL THE OFFICE (972) 867-0019 AND WE WILL ASSIST YOU, 24 HOURS A DAY, 7 DAYS A WEEK

## THE DAY OF YOUR PROCEDURE:

- \* Take your blood pressure or heart medications at your usual time with a small sip of water, unless otherwise instructed by your physician. If you take medicines for acid reflux, also take them in the morning.
- ❖ If you have asthma, emphysema, or COPD take your inhalers & medicines for that condition.
- ❖ If you are diabetic DO NOT take your diabetic medications or insulin the morning of your procedure.

### **AFTER THE PROCEDURE:**

- ❖ You will need someone to drive you home after your procedure. You will NOT be allowed to take a taxi or bus.
- ❖ YOU WILL NOT BE ALLOWED TO DRIVE THE REST OF THE DAY.
- Please call our office if you need information on medical transportation services if you do not have a ride available.

# LOW RESIDUE DIET TO FOLLOW 3 DAYS PRIOR TO COLONOSCOPY

Food group	Foods allowed	Foods to avoid
Milk and dairy	Milk and milk products. Includes:  f cow's milk f ice cream f yogurt f cheese f cream	<ul> <li>f fruited yogurt</li> <li>f any ice cream or cheese with nuts or seeds</li> <li>f any milk products if you are lactose intolerant</li> </ul>
Beverages	f coffee and tea f carbonated beverages f apple juice f strained juice f bottled water f tomato juice f fruit drinks without pulp, such as fruit punch f Kool-Aid or Hi-C (without red dye) f nutritional supplements without added fiber, such as Boost/Ensure	f any beverage containing pulp or seeds, such as orange or grapefruit juice prune juice f nutritional supplements that contain fiber
Breads, cereals, and starches	f refined breads, rolls, bagels, English muffins, pita bread, biscuits, muffins, crackers, pancakes, waffles, or pastry refined cooked and cold cereals such as hominy grits, farina, cream of wheat or rice, strained oatmeal, Cheerios, Corn/Rice Chex, Cornflakes, Rice Krispies, Special K potato and sweet potato without skin refined pasta white rice	<ul> <li>f whole grain breads, cereals, and pasta</li> <li>f oatmeal</li> <li>f granola</li> <li>f any bread, cereal, cracker, or pasta made with seeds, nuts, coconut, or raw or dried fruit</li> <li>f corn bread</li> <li>f graham crackers</li> <li>f brown rice</li> <li>f wheat germ</li> <li>f bran</li> <li>f sprouted wheat</li> <li>f wild rice</li> <li>f barley</li> <li>f potato skins</li> </ul>

Food group	Foods allowed	Foods to avoid

Fruits	<ul> <li>f canned or cooked fruit without skins or seeds (peaches, pears, apricots, apples)</li> <li>f applesauce</li> <li>f ripe banana</li> <li>f jellied cranberry sauce</li> </ul>	<ul> <li>f raw fruit (bananas are okay)</li> <li>f canned pineapple, oranges, grapefruit sections, mixed fruit</li> <li>f dried fruit</li> <li>f all berries, melons</li> <li>f whole cranberry sauce</li> <li>f avocado</li> <li>f coconut</li> </ul>
Vegetables	<ul> <li>f tender, well cooked fresh, canned, and frozen vegetables without seeds such as peeled carrots, green beans, and beets</li> <li>f strained vegetable juice</li> <li>f strained tomato sauce</li> </ul>	f all raw vegetables, such as lettuce, onion, celery, cucumber, mushrooms, scallions, etc. f vegetables with seeds f tough, fibrous cooked vegetables such as:     artichokes asparagus     broad beans broccoli and cauliflower     brussel sprouts celery     corn cucumber     eggplant mushrooms     onion peas (green peas)     sauerkraut and cabbage spinach     tomatoes zucchini summer squash,     winter squash
Meat and meat substitutes	<ul> <li>f cooked, tender fish, poultry, beef, lamb, pork, ham, veal, organ meats</li> <li>f eggs</li> <li>f cheese</li> <li>f tofu</li> <li>f tuna fish</li> <li>f smooth peanut butter and other smooth nut butters</li> </ul>	f non-tender meats f gristle f hot dogs f salami, cold cuts f meat substitutes made with whole grains, nuts, or seeds f dried beans, peas, lentils f crunchy style peanut butter and other crunchy nut butters
Miscellaneous	<ul> <li>f salt, sugar, ground or flaked herbs and spices</li> <li>f vinegar</li> <li>f ketchup and mustard</li> <li>f soy sauce</li> <li>f jelly (but not jam or preserves)</li> </ul>	<ul> <li>f pepper</li> <li>f seed spices</li> <li>f seeds and nuts</li> <li>f coconut</li> <li>f popcorn</li> <li>f jams or preserves</li> <li>f pickles and olives</li> </ul>